



IS EN 14351-1:2006 + A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

DECLARATION OF PERFORMANCE

THIS IS TO CERTIFY THAT

WORLDWIDE WINDOWFRAMES LIMITED

of

Bagenalstown Business Park

Royal Oak Road

Bagenalstown

Co. Carlow

HAVE CONFORMED WITH EN 14351-1:2006 + A1:2010 ANNEX ZA

FOR

CASEMENT, TILT & TURN WINDOWS AND SINGLE, DOUBLE, BI-FOLD, & COMPOSITE DOORS INTENDED TO BE USED IN
DOMESTIC AND COMMERCIAL LOCATIONS

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL
COMPLYING WITH EN 14351-1:2006 + A1:2010 ANNEX ZA


PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS


 DANGEROUS SUBSTANCES - Clause 4.6

 LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

 THERMAL CHARACTERISTICS - Clause 4.12

Signed: 
Position: Director

Date: 18/2/2016



| WORLDWIDE WINDOWFRAMES LIMITED | |
|---|--------------------|
| Bagenalstown Business Park | |
| Royal Oak Road | |
| Bagenalstown | |
| Co. Carlow | |
| 16 | |
| EN 14351-1:2006 + A1:2010 | |
| WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS | |
| System: Kommerling PVCu Windows and Doors | |
| Characteristics | Declared Value |
| Dangerous Substances | None |
| Thermal Characteristics | $\leq 3.4W/(m^2K)$ |
| Load Bearing Capacity of Safety Devices | Passed |
| Resistance to Wind Load | npd |
| Resistance to snow and permanent load | npd |
| Reaction to fire | npd |
| External Fire Performance | npd |
| Water tightness | npd |
| Impact Resistance | npd |
| Radiation Properties | npd |
| Acoustic Performance | npd |
| Air Permeability | npd |
| | |

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed: 

Date: 18/2/2016

Position: Director